

EAST
8 pages

MD

MD

MD

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	link.in. and davidescu.in.	US-PGPUB; USPAT	OR	ON	2005/04/28 12:58
S2	337	"dump mode"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 11:27
S3	59	"dump mode" and memory and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/05 10:57
S4	12	"dump mode" and memory near3 test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:58
S5	5090	713/164-165,193,200;714/718, 763,807.ccls.	US-PGPUB; USPAT	OR	ON	2004/07/02 17:37
S6	2	713/164-165,193,200;714/718, 763,807.ccls. and "dump mode"	US-PGPUB; USPAT	OR	ON	2005/04/28 12:59
S7	26	"5058164".URPN.	USPAT	OR	ON	2005/04/28 12:59
S8	2	("4087626" "4157454").PN.	USPAT	OR	ON	2004/07/02 11:59
S9	60	"dump mode" and ((memory or data) near5 (access or protect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:00
S10	74	("dump mode" or "memory dump" or "rom dump" or "eprom mode") and (checksum or crc or singature or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:01
S11	1	"dump attack" with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:02
S12	404	713/193.ccls.	USPAT	OR	ON	2004/07/02 13:53
S13	0	713/193.ccls. and ((stop\$3 or prevent\$3) near3 (intermediate near2 (result or output or signal or value)))	USPAT	OR	ON	2005/04/28 13:02

S14	109	(checksum or crc) with (intermediate near2 (result or output or signal or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 13:57
S15	35664	(protect\$3 near3 (data or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 14:12
S16	6606	((protect\$3 near3 (data or memory)))) and (crc or checksum or signature or mac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 14:13
S17	50	((protect\$3 near3 (data or memory)))) and ((prevent\$3 or inhibit\$3 or allow\$3) near5 ((intermediate or cumulative) near2 (result\$1 or value\$1 or output\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:03
S18	0	713/164-165,193,200;714/718, 763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode") with (checksum or crc or singature or hash)	US-PGPUB; USPAT	OR	ON	2005/04/28 13:12
S19	16	713/164-165,193,200;714/718, 763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode")	US-PGPUB; USPAT	OR	ON	2005/04/28 13:13
S20	0	"6230291".URPN.	USPAT	OR	ON	2005/04/28 13:13
S21	3	("5506396" "5534786" "6006345").PN.	USPAT	OR	ON	2004/07/02 15:41
S22	1	dump near5 attack with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:13
S23	5090	713/164-165,193,200;714/718, 763,807.ccls.	US-PGPUB; USPAT	OR	ON	2004/07/03 16:58
S24	22	713/164-165,193,200;714/718, 763,807.ccls. and (\$2rom near5 (checksum or crc))	US-PGPUB; USPAT	OR	ON	2005/04/28 13:14
S25	5090	713/164-165,193,200;714/718, 763,807.ccls.	US-PGPUB; USPAT	OR	ON	2004/07/03 16:58
S26	3	713/164-165,193,200;714/718, 763,807.ccls. and ((\$3rom near3 scan) same (checksum or crc))	US-PGPUB; USPAT	OR	ON	2005/04/28 13:14
S27	1	("5022077").PN.	USPAT; USOCR	OR	OFF	2004/07/03 17:14

S28	243	(bios near2 rom) with (checksum or crc or sign\$5 or hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/05 15:13
S29	16	((bios near2 rom) with (checksum or crc or sign\$5 or hash\$3)) not signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:15
S30	1	("6411941").PN.	USPAT; USOCR	OR	OFF	2004/07/05 11:51
S31	1	("5421006").PN.	USPAT; USOCR	OR	OFF	2004/07/05 12:13
S32	7	((checksum or crc) with rom) and samsung	US-PGPUB; USPAT	OR	ON	2005/04/28 13:32
S33	69	(microcontroller\$1 near2 (advantage\$1 or benefit\$1)) and @ad<"20001127"	USPAT	OR	ON	2005/04/28 13:50
S34	25	("4211919" "4499555" "4521853" "4590552" "4698750" "4958276" "5012410" "5014191" "5067077" "5134700" "5168559" "5210841" "5247621" "5251304" "5278962" "5305460" "5355466" "5379443" "5396609" "5404450" "5404547" "5432950" "5446864" "5557743" "5581763").PN.	USPAT	OR	ON	2004/07/05 15:35
S35	15342	reset near5 latch\$3	USPAT	OR	ON	2004/07/06 12:17
S36	2318	reset near3 latch\$3 near6 gate and @ad<"20001127"	USPAT	OR	ON	2004/07/06 12:19
S37	70	(reset near3 latch\$3 near6 gate) and ((software or data) near2 protect\$3)	USPAT	OR	ON	2005/04/28 13:53
S38	1230	(reset near (circuit or means)) with latch	USPAT	OR	ON	2004/07/06 12:34
S39	19	((reset near (circuit or means)) with latch) and ((software or data) near2 protect\$3) and @ad<"20001127"	USPAT	OR	ON	2005/04/28 13:53
S40	2	reverse\$1engineer\$3 with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:09

S41	26	((reverse\$1engineer\$3 or trac\$3) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:10
S42	2	((reverse\$1engineer\$3 or trace or tracing) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:14
S43	200	((verif\$7 or authentic\$5) near2 (program or code)) with hash\$3	USPAT	OR	ON	2004/07/06 18:36
S44	2	("5787367" "5844986").PN.	USPAT	OR	ON	2004/07/06 18:37
S45	136	((device or system) near2 reset\$3) with exit\$3	USPAT	OR	ON	2004/07/07 15:56
S46	13	((device or system) near2 reset\$3) with (exit\$3 near3 (routine or module or execut\$3))	USPAT	OR	ON	2005/04/28 14:15
S15 2	1	link.in. and davidescu.in.	US-PGPUB; USPAT	OR	ON	2005/04/28 12:58
S15 3	14	"dump mode" and memory near3 test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:16
S15 4	2	713/164-165,193,200;714/718, 763,807.ccls. and "dump mode"	US-PGPUB; USPAT	OR	ON	2005/12/16 17:36
S15 5	32	"5058164".URPN.	USPAT	OR	ON	2005/04/28 12:59
S15 6	63	"dump mode" and ((memory or data) near5 (access or protect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:00
S15 7	82	("dump mode" or "memory dump" or "rom dump" or "eprom mode") and (checksum or crc or singature or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:01
S15 8	1	"dump attack" with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:02
S15 9	1	713/193.ccls. and ((stop\$3 or prevent\$3) near3 (intermediate near2 (result or output or signal or value)))	USPAT	OR	ON	2005/04/28 13:03

S16 0	72	((protect\$3 near3 (data or memory))) and ((prevent\$3 or inhibit\$3 or allow\$3) near5 ((intermediate or cumulative) near2 (result\$1 or value\$1 or output\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:03
S16 1	0	713/164-165,193,200;714/718, 763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode") with (checksum or crc or singature or hash)	US-PGPUB; USPAT	OR	ON	2005/12/19 14:59
S16 2	17	713/164-165,193,200;714/718, 763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode")	US-PGPUB; USPAT	OR	ON	2005/04/28 13:13
S16 3	0	"6230291".URPN.	USPAT	OR	ON	2005/04/28 13:13
S16 4	1	dump near5 attack with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:13
S16 5	24	713/164-165,193,200;714/718, 763,807.ccls. and (\$2rom near5 (checksum or crc))	US-PGPUB; USPAT	OR	ON	2005/04/28 13:14
S16 6	3	713/164-165,193,200;714/718, 763,807.ccls. and ((\$3rom near3 scan) same (checksum or crc))	US-PGPUB; USPAT	OR	ON	2005/04/28 13:14
S16 7	18	((bios near2 rom) with (checksum or crc or sign\$5 or hash\$3)) not signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:15
S16 8	9	((checksum or crc) with rom) and samsung	US-PGPUB; USPAT	OR	ON	2005/04/28 13:32
S16 9	70	(microcontroller\$1 near2 (advantage\$1 or benefit\$1)) and @ad<"20001127"	USPAT	OR	ON	2005/04/28 13:51
S17 1	70	(reset near3 latch\$3 near6 gate) and ((software or data) near2 protect\$3)	USPAT	OR	ON	2005/04/28 13:53
S17 2	19	((reset near (circuit or means)) with latch) and ((software or data) near2 protect\$3) and @ad<"20001127"	USPAT	OR	ON	2005/04/28 13:53
S17 3	2	reverse\$1engineer\$3 with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:09

S17 4	2	((reverse\$1engineer\$3 or trace or tracing) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:14
S17 5	13	((device or system) near2 reset\$3) with (exit\$3 near3 (routine or module or execut\$3))	USPAT	OR	ON	2005/04/28 14:16
S17 6	2093	711/154,156,163-164,166.ccls. and (@ad<"20001127" or @rlad<"20001127")	USPAT	OR	ON	2005/04/28 14:17
S17 7	188	S176 and ((dumb near2 mode) or checksum or crc or hash)	USPAT	OR	ON	2005/04/28 14:20
S17 8	0	S176 and ((dumb near2 mode) with (checksum or crc or hash))	USPAT	OR	ON	2005/04/28 14:19
S17 9	10	("4734568" "4811291" "4813024" "4864541" "5432950" "5465349" "5467396" "5517569" "5815577" "6061280").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/28 15:22
S18 0	18	("4467444" "4584665" "4698750" "5099516" "5101498" "5144659" "5175840" "5191608" "5224166" "5251304" "5255244" "5282247" "5349249" "5351216" "5379433" "5386469" "5388157" "5396609").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/28 14:58
S18 1	6	("5860099").URPN.	USPAT	OR	ON	2005/04/28 15:11
S18 2	3805784	(\$5controller\$1 or \$5processor\$1 or semi\$1conductor\$1 or chip\$1 or "ic card")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:25
S18 3	3	S182 and ((\$3rom or non\$1volatile) near4 (software or information or code or content or microcode) near2 (sensitive or proprietary)) and ((illicit or unauthorized or illegal) near2 (access or read))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:31
S18 4	0	(dumb near2 (mode or memory)) same ((intermediate or partial) near2 (checksum or crc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:33

S18 5	11	(checksum or crc) same ((prevent\$3 or stop\$3 or allow\$3) near3 (reconstruct\$3 or restitut\$3 or deduc\$3 or trac\$3) near3 (data or content or byte or code or software or microcode or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 16:07
S18 6	0	(dumb near2 (memory or mode)) same ((prevent\$3 or stop\$3) near3 (reconstruct\$3 or restitut\$3 or deduc\$3 or trac\$3) near3 (data or content or byte or code or software or microcode or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:00
S19 1	19	dump with memory same test same (reset\$4 reboot\$3 boot\$3 restart\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:20
S19 2	11	S191 and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:20
S19 5	4808	713/164-165, 193;726/34;714/718,763, 807;711/154,156,163-164,166. ccls. and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT	OR	ON	2005/12/19 14:58
S19 6	2698	S195 and ((memory \$3rom bios) with (checksum crc hash\$3 digest sign\$5))	US-PGPUB; USPAT	OR	ON	2005/12/16 17:48
S19 7	298	S195 and ((memory \$3rom bios) with (checksum crc hash\$3 digest))	US-PGPUB; USPAT	OR	ON	2005/12/16 17:49
S19 8	65	S195 and ((memory \$3rom bios) with (checksum crc hash\$3 digest) same (reset\$4 reboot\$3 boot\$3 restart\$3))	US-PGPUB; USPAT	OR	ON	2005/12/16 17:50
S20 0	4808	713/164-165, 193;726/34;714/718,763, 807;711/154,156,163-164,166. ccls. and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT	OR	ON	2005/12/19 14:58
S20 1	0	S200 and (((dump near2 (mode memory \$3rom)) (eprom near2 mode)) with (checksum or crc or singature or hash))	US-PGPUB; USPAT	OR	ON	2005/12/19 17:42

S20 3	0	S200 and (((dump near2 (mode memory \$3rom)) (eprom near2 mode)) same (checksum or crc or singature or hash))	US-PGPUB; USPAT	OR	ON	2005/12/19 15:02
S20 4	23	S200 and ((dump near2 (mode memory \$3rom)) (eprom near2 mode))	US-PGPUB; USPAT	OR	ON	2005/12/19 15:02
S20 5	50	("5058164").URPN.	USPAT	OR	ON	2005/12/19 15:42
S20 6	26	(checksum crc) same ((prevent\$3 stop\$3 allow\$3) near3 (reconstruct\$3 reconstitut\$3 deduc\$3 trac\$3 reverse\$1engineer\$3) with (data content byte code software program microcode information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:06
S20 7	15	S206 and (@ad<"20001127" or @rlad<"20001127")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:07
S20 8	1	((dump near2 (mode memory \$3rom)) (eprom near2 mode)) same (checksum or crc or singature or hash) same ((memory storage) near3 protect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:43
S21 0	26	((memory \$3rom) with (validat\$3 checksum hash\$3 digest crc)) and ((value result output signal) with (reset\$3 reboot\$3 restart\$3)). clm.	US-PGPUB	OR	ON	2005/12/23 18:57